Ana Journal of Probability

Asian Journal of Probability and Statistics

Volume 25, Issue 2, Page 88-94, 2023; Article no.AJPAS.107728 ISSN: 2582-0230

Enhancing Nigerian Oil Price Forecasting: A Comprehensive Analysis of Model Averaging Techniques

Olawale Basheer Akanbi ^{a*}

^a Department of Statistics, University of Ibadan, Ibadan, Nigeria.

Author's contribution

The sole author designed, analysed, interpreted and prepared the manuscript.

Article Information

DOI: 10.9734/AJPAS/2023/v25i2555

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/107728

Original Research Article

Received: 15/08/2023 Accepted: 20/10/2023 Published: 28/10/2023

Abstract

Numerous fields of endeavour have benefited greatly from statistical forecasting, which has aided decisionmaking by planners and policy makers. In this study, Bayesian Model Averaging (BMA) and Dynamic Model Averaging (DMA) are employed to forecast oil prices in Nigeria. It aimed at predicting the oil prices in Nigeria. Essentially, there are lot of model uncertainties in empirical growth researches. The predictive performance value considering the Mean Squared Forecast Error (MSFE) for BMA and DMA were 920.23 & 540.40 respectively. The DMA predicted the model better than the BMA. High levels of model uncertainties were indeed accounted for, in conformity with the theoretical knowledge.

Keywords: Log predictive score; forgetting factor; model uncertainty; oil prices; MSFE.

1 Introduction

Oil importing and exporting countries need consistent information on unsteadiness of oil prices. Sincerely, a lot of macroeconomic models, Ojo [1,2] are also predetermined by the price of oil. Thus, the private investors,

Asian J. Prob. Stat., vol. 25, no. 2, pp. 88-94, 2023

^{*}Corresponding author: Email: muhdbashola@yahoo.com, muhdbasholas@gmail.com;

many government agencies and even central banks have keen interest in them. Forecasting oil price has different theoretical techniques in the literature.

Though, there several procedures for predicting the oil price but, econometric models are more popular when compared with others. For instance, Lanza et al. [3] established the relationship among heavy crude oil prices and product prices. They made a comparison among ten heavy crude oil price series and fourteen petroleum product price series in Europe and America. The sample period was from 1994 to 2002, and they adopted cointegration and Error Correction Model (ECM) tests to find out the relationships among the variables, and to model crude oil prices. The empirical results showed that product prices were related to heavy oil prices in both short and long terms. Furthermore, the comparison among ECM and naïve model did not show any dominant model in America; however, in the case of Europe, ECM marginally outperformed naïve model. Wang et al. [4] carried out ARIMA approach to model the linear component of crude oil price time series. They use monthly WTI crude oil data spanned January 1970 - December 2003. The out-of-sample forecasting results indicated that the linear ARIMA model displayed the poorest forecasting power when compared with the nonlinear artificial neural network and the nonlinear integrated fuzzy expert system approaches. Xie et al. (2006) modelled WTI crude oil prices with the application of ARIMA procedure [5,6]. They applied WTI spot prices spanned January 1970 - December 2003. Then they compared the results with those of support vector machine and artificial neural networks methods. The out-of-sample forecasting results showed that, the ARIMA model gave the poorest forecasting performance among the mentioned methods. Fernandez [7,8] performs an out-of-sample forecasting for short- and long-term horizons with using ARIMA model. He employed daily natural gas and Dubai crude oil prices spanned 1994 - 2005. The result proved that for very short-term horizon, the ARIMA model outperformed the artificial neural networks and the support vector machine approaches; however, for long term horizon model, the ARIMA model provided the poorest accurate models.

In the case of structural models, different basic predictors determine the oil price movement. The predictors that are frequently considered for the oil price behaviour are OPEC behaviour Ayadi [9], oil inventory level, oil consumption and production, and some non-oil variables such as economic activity, interest rate, exchange rate, and other commodity prices. Also, due to the difficulties and complexities of structural models, there are litle studies that performed structural analyses in order to model oil prices. Ye et al. [10] predicted short term one month ahead nominal WTI crude oil spot price by assessing the impact of relative inventory level. In this model, the only explanatory variables are OECD industrial relative petroleum inventory level; moreover, 11 September 2001 terrorist attack and OPEC quota tightening in 1999 are dummy variables of the model. They did not include the lower-than-normal OECD inventory level variable from their new model as this variable increased the out-of-sample model error. They used monthly data spanned January 1992 - April 2003. Then, compared the results from the above relative stock model with the two benchmarks forecasting models: naïve autoregressive forecasting model and modified alternative model. The in and out-of-sample investigation criteria indicated that the relative stock model depicted the best forecasting performance and the naïve model exhibited the poorest one.

Lee and Huh, [11] used Bayesian procedure to forecasting oil prices with reflecting structural changes in the oil market. The main drivers for the forcast were world oil demand and supply, the financial situation, upstream costs, and geopolitical events. In order to test for the model's forecasting ability, it was compared with a linear ordinary least squares model and a neural network model. The proposed model outperformed, on the forecasting performance ability even though the neural network model shows the best results on a goodness-of-fit test. Leng and Li, (2020) investigated the dynamic forecasting of crude oil prices via Bayesian and Econo-physics approaches by proposing information entropy to measure the predictability of crude oil prices and employed the rolling window approach to model the dynamic price of crude oil. Bayesian and Classical techniques were adopted simultaneously to estimate the parameters in the models. Comparison of forecasting results of the two methods indicated that both procedures can effectively estimate the parameters of Heston model. Wang et al. (2015) contributed to this strand through the use of a DMA method to improve forecasting accuracy of real oil prices. In DMA approach, forgetting factors are generally useful to approximate the evolution of model parameters and model switching probabilities, respectively. Drachal (2016) analysed the ability of predicting the crude oil price via fargetting factors in the DMA framework. The most important feature of this approach is that both coefficients and the set of predictors can change in time. It was found that certain versions of DMA prediction quality are higher than that of the naïve forecasting model. The methodology for the BMA [12-14,15, 16,17,18,19] and DMA techniques investigate the important variables in a model selection process, and are presented in the next section of the paper.

2 Methodology

A. Bayesian Model Averaging

The problem of model uncertainty can be conquered by employing BMA Approach. This approach determines the order of important of the variables by averaging across the plausible models for certain priors elicitation. Estimations of the parameters in the models are achieved by averaging the weights attached to the models (Posterior Model Probability) over the entire model space (M).

BMA Predictive Performance: Generally, BMA is employed because of its exhibition of the uncertainties imbeded in a model selection process and the ability to enhance the predictive performance for a data set splitted to training, T^{D} and prediction, P^{D} [20], [21], [22].

Log Predictive Score Rule: The logarithmic scoring rule (LPS) was established by [23]. Firstly, for a single model, M a predictive performance will be constructed, as:

$$-\sum_{\beta \in P^{D}} \log\{Pr(\beta|M, T^{D})\}$$
⁽¹⁾

And then, compute the predictive performance for the plausible models in BMA by:

$$-\sum_{\beta \in P^{D}} \left[log \left\{ \sum_{j=1}^{l} Pr(\beta | M_{j}, T^{D}) Pr(M_{j}, T^{D}) \right\} \right]$$
(2)

The LPS is measured as the larger it is, for a given model or model average, the worst the predictive performance.

B. Dynamic Model Averaging

The DMA model prediction equation is given as:

$$\pi_{t|t-1,k} = \frac{\pi_{t-1|t-1,k}^{a}}{\sum_{l=1}^{K} \pi_{t-1|t-1,l}^{a}}$$
(3)

where $0 < \alpha \le 1$ is another forgetting factor similar to λ . Thus, (3) becomes

$$\pi^{*}_{t|t-1,k} = \frac{\pi_{t-1|t-1,kPk^{(y_{t}|y^{t-1})}}}{\sum_{l=1}^{K} \pi_{t|t-1,IPI}^{(y_{t}|y^{t-1})}}$$
(4)

where $P_l(y_t|y^{t-1})$ is the model predictive density measured at y_t . Recursive forecasting is achieved by averaging across the predictive results for every model with $\pi_{t|t-1,k}$. Thus,

The DMA point prediction is given by:

$$E(y_{t} | y^{t-1}) = \sum_{k=1}^{K} \pi_{t|t-1,k^{z_{t}^{(k)}\bar{\theta}_{t-1}^{k}}}$$
⁽⁵⁾

In DMA forcasting procedure, model with the highest value for $\pi_{t|t-1,k}$ at a particular time will be considered. Also, for $\alpha = 1$, then $\pi_{t|t-1,k}$ gives the marginal likelihood at time (t-1) and then approximates to BMA. Similarly, for $\lambda = 1$, then it arrives at BMA through the conventional linear forecasting models with no time variations in coefficients. Consequently, in this study, $\alpha = \lambda = 1$ were set for the BMA procedure in order to compare it with the DMA forcasting performances.

3 Results and Discussion

Table 1 gives the predicted values for the year 2021 and the year 2022 representing the 41st and 42nd observations respectively. The predictions are 71.87 and 82.24 for 2021 and 2022 respectively. And when compared with their actual values (70.81, 81.94), the forecast for both years has a good fit (prediction), which suggest that our predictive model performs well.

Table 1. I fediculuis fui years 2021 and 2	2022	and 202	2021 an	years 2	for	Predictions	1.	Table	1
--	------	---------	---------	---------	-----	-------------	----	-------	---

Year 2021 (41st observation)	Year 2022 (42nd observation)
71.87177	82.23697

Fig. 1 depicts only the expected value for the 2021 predictive density without comparing it with the actual value using 500 models. From the density, the expected predictive value of 71.87 in Table 1 is confirmed (72) for this year. The expected predictive value is the red solid line while the red break lines are the standard errors of the distribution in the Fig. 1.



Fig. 1. Predictive density for year 2021 over 500 models

4 Model Forecast Evaluation and Comparison

The forecast comparison of the DMA and the BMA models are considered in this section. The forcast was investigated with different forgetting factors from $\alpha = \lambda = 0.93$ to 0.99. The choice of forgetting factors and benchmark ($\alpha = \lambda = 0.99$) for a period (t) is based on the recommendations of Raftery et al. [24]. The forcast performance evaluations used for this study were the MSFE [for a point forecasts] and the sum of log predictive likelihoods [for the entire predictive performance]. A special case of DMA which approximately gives BMA (forgetting factors, $\alpha = \lambda = 1$) was also presented.

Table 2 depicts the forecasting model performance comparison with different forgetting factors for the oil prices. In this table, it is shown that the DMA forecast with the two forgetting factors at equal value of 0.95 ($\alpha = \lambda = 0.95$) gave the best overall forcast, implying that the model and parameters are allowed to change. DMA shrinks the contribution of all models except one towards zero which is an advantage over the BMA. The outcome is consistent with forecasts gotten by Koop and Korobilis [25] for inflation and Gupta et al. (2014) for foreign exchange reserves when similar models were considered. Both the sum of the log predictive likelihoods

and the MSFE indicated that for a BMA model prediction, it has a poorer forecasting performance, when compared with the best, and the benchmark DMA as a result of the shrinkage factor in the DMA.

Model	BMAand DMA	MSFE	Log (PL)
1	BMA & DMA (with $\alpha = \lambda = 1$)	920.376	-60.217
2	DMA ($\alpha = \lambda = 0.95$)	540.396	-52.704
3	DMA ($\alpha = \lambda = 0.99$)	884.748	-58.828
4	DMA ($\alpha = 1, \lambda = 0.95$)	767.308	-53.643
5	DMA ($\alpha = 1, \lambda = 0.99$)	926.957	-59.918

Table 2. Forecast performance comparison

Fig. 2 showed the actual and forecasted values of the crude oil price for the best-performing DMA model. It is noticeable from the plot that this model follows the actual oil price series rather well, producing broadly similar forecasts.



Fig. 2. Plots the actual and the forecasted values of the price of crude oil for the best-performing DMA model

5 Conclusion

Bayesian and Dynamic Model Averagings; BMA and DMA were adopted in this study. The predictive performance values using the Mean Squared Forecast Error (MSFE) for BMA and DMA were 920.23 & 540.40 respectively. The DMA predicted the model better than the BMA. Moreover, high levels of model uncertainties were indeed accounted for, in conformity with the BMA theoretical knowledge.

Competing Interests

Author has declared that no competing interests exist.

References

[1] Ojo OO, Adepoju AA. Bayesian analysis of macroeconomic variables on national savings. Communications in Statistics: Case Studies, Data Analysis and Applications. 2021;7(3):432-441.

- [2] Oriakhi DE. OPEC and the development of the nigerian petroleum industry. In Nigerian Economy: Structure, Growth and Development. Mindex Publishers, Benin-City; 2003.
- [3] Lanza A, Manera M, Giovannini M. Modeling and forecasting cointegrated relationships among heavy oil and product prices. Energy Economics. 2005;27:831-848.
- [4] Wang Y, Wu C, Yang L. Forecasting the real prices of crude oil: a dynamic model averaging approach; 2015.
 Available at SSRN 2590195.
- [5] Jammazi R, Aloui C. Crude oil price forecasting: Experimental evidence from wavelet decomposition and neural network modelling. Energy Economics. 2012;34(3):828-841.
- [6] Lizadeh A, Mafinezhad K. Monthly brent oil price forecasting using artificial neural networks and a crisis index. Proceedings of the International Conference on Electronics and Information Engineering (ICEIE'2010). 2010;2:465-468.
- [7] Fernandez C, Ley E, Steel M. Benchmark priors for Bayesian model averaging. Journal of Econometrics. 2001;100:381-427.
- [8] Fernandez C, Ley E, Steel M. Model uncertainty in cross-country growth regressions. Journal of Applied Econometrics. 2001;16:563-76.
- [9] Ayadi OF. Oil price fluctuations and the nigerian economy. OPEC Review. 2005;199-217.
- [10] Ye Mao, Li Chengfa, Chen Guihai, Wu J. EECS: An energy efficient clustering scheme in wireless sensor networks," PCCC 2005. 24th IEEE International Performance, Computing, and Communications Conference, 2005., Phoenix, AZ, USA. 2005;535-540. DOI: 10.1109/PCCC.2005.1460630.
- [11] Lee CY, Huh SY. Forecasting long-term crude oil prices using a Bayesian model with informative priors. Sustainability. 2017;9(2):190.
- [12] Akanbi OB, Ojo JF, Oluneye MO. Modelling GDP in Nigeria using Bayesian model averaging. International Journal of Applied Science and Mathematics. 2018;5(3):22-27.
- [13] Tumala MM, Olubusoye OE, Yaaba BN, Yaya OS, Akanbi OB. Investigating predictors of inflation in Nigeria: BMA and WALS techniques. African Journal of Applied Statistics. 2018;5(1): 301 321.
- [14] Tumala MM, Olubusoye OE, Yaaba BN, Yaya OS, Akanbi OB. Forecasting Nigerian Inflation using Model averaging Methods: Modelling Frameworks to Central Banks. Empircal Economics Review. 2019; 9(1):47–72.
- [15] Akanbi OB, Oladoja OM. Application of a modified g- parameter prior ($g=1/n^5$) in Bayesian model averaging to CO₂ emissions in Nigeria. Journal of Mathematical Theory and Modeling. 2019;9(11): 57-71.
- [16] Eicher TS, Papageorgiou C, Raftery AE. Default priors and predictive performance in Bayesian model averaging, with application to growth determinants. Journal of Applied Econometrics. 2011;26(1):30-55.
- [17] Magnus JR, Powell O, Prufer P. A comparison of two model averaging "techniques with an application to growth empirics. Journal of Econometrics. 2010;154(2):139-153.
- [18] Olubusoye OE, Akanbi OB, Akintande OJ. Forecasting and determining the predictors of inflation in Nigeria: A Bayesian model averaging approach. African Journal of Applied Statistics. 2018;5(1):301-321.

- [19] Olubusoye OE, Akanbi OB. On g-Prior elicitation in Bayesian model averaging approach to normal linear regression model. In: V. F. Payne, D. O. Ajayi, and H. P. Adeyemo. (Eds.). Perspectives and Developments in Mathematics: Proceedings of the Conference in honour of Prof. S. A. Ilori 70th Birthday. Oyo. 2015;147 – 170.
- [20] Hoeting JA, Madigan D, Raftery AE, Volinsky CT. Bayesian model averaging: A tutorial. Statistical Science, textbf. 1999;14:382–417.
- [21] Raftery AE, Madigan D, Hoeting JA. Bayesian model averaging for linear regression models. Journal of the American Statistical Association. 1997;92:179–191.
- [22] Raftery E. Adrian. Bayesian model selection in social research. Sociological Methodology. 1995;25:111-163.
- [23] Good J. Rational decisions. Journal of the Royal Statistical Society B. 1952;14:107-114.
- [24] Raftery AE. Approximate bayes factors and accounting for model uncertainty in generalized linear models. Biometrika. 1996;83:251–266.
- [25] Koop G, Potter S. Forecasting in large macroeconomic panels using Bayesian model averaging. Federal Reserve Bank of New York Staff Report. 2003;163.

© 2023 Akanbi; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here (Please copy paste the total link in your browser address bar) https://www.sdiarticle5.com/review-history/107728